



IEC309 16A/250V
P+N+PE

VIEW A



VIEW B




VIEW C


Rear



IEC60320 C20





IEC60309 16A/250V
P+N+PE




See VIEW A

See VIEW B

TOP



Front



See VIEW C

NOTES:
ALL DIMENSIONS ARE MILLMETERS[INCHES].



PROJECTION
THIRD ANGLE

DO NOT SCALE DRAWING
SHEET 1 OF 1

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF RARITAN, INC. AND SHALL NOT BE COPIED, REPRODUCED OR USED, IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM RARITAN, INC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

DRAWN : Eva Lin Feb. 02,2012
ENGINEER: Siang Feb. 02,2012
APPROVED: Tom_H Feb. 02,2012

TITLE: iPDU One U,
Single Phase, 16A/200V-240V
Inlet Type: IEC60320 C20,
Plug Type: IEC60309 16A/250V P+N+PE,
Outlet Type: (8) Locking IEC320 C13

DWG NO. **MPX2-5190R-E2N1
& MPX2-4190R-E2N1** REV. **A**